

GLAZED PORCELAIN FLOOR & WALL TILE







shown on front: 34132 8x48 Florida


Relive HDP from Florida Tile features the durable, weathered beauty of reclaimed wood with options for indoor and outdoor use. The graphic on each tile conveys a history derived from this beautiful wood's previous life. The knots, splits, stains, and markings from natural weathering create a sense of warmth while telling a story of quality and longevity.

Four distinct and dramatic colors have been created using HDP–High Definition Porcelain® printing technology, Alaska, Florida, Oregon, and Montana are each inspired by the richness and unique character of their namesakes. With Alaska, you'll find light, smoky grays atop a soft, neutral taupe background. Florida's light, cream-colored surface boasts weathered hints of gray. Oregon combines a mid-range brown with sporadic dark ash flourishes. Montana, the darkest of these recovered wood looks, blends a range of light and dark browns with hushed washes of gray.


shown below: **REL32U 24x24** Florida (2cm porcelain pavers)

Available in a rectified 8x48 wide plank or a 24x24 2cm outdoor paver, Relive^{HDP} has a casual yet chic charm. It works beautifully in all spaces and allows an effortless transition from indoor to outdoor living spaces.

Relive HDP is appropriate for most applications in both residential and commercial settings. It is entirely made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY. It includes pre-consumer recycled content and is GREENGUARD® and Porcelain Tile certified. Incorporated into the tile surface is Microban® antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.



COLOR VARIATION



Alaska



Florida



Oregon



Montana



above: **34112 8x48** Alaska



34112 8x48 Alaska



above: **34132 8x48** Florida



34132 8x48 Florida



REL32U 24x24 (2cm Porcelain Pavers)* Florida



above: **34123 8x48** Oregon



34123 8x48 Oregon



above: **34193 8x48** Montana



34193 8x48 Montana



REL93U 24x24 (2cm Porcelain Pavers)* Montana



above: 34112 8x48 Alaska

Porcelain Technical Data ¹ Properties (Floor)	Results ²	
ANSI® A326.3 ³	Interior, Wet Plus (IW+)	
Surface Hardness	7 Mohs	
Break Strength	≥350 lbf. avg.	
Water Absorption	≤0.5%⁴	
Intended Use ⁵	Residential, Light Commercial & Heavy Commercial	

¹This chart excludes 2cm porcelain paver results.

⁵ Please visit www.floridatile.com/intended-use for further details.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge
8x48	20x122	.387	9mm	Rectified

¹These values may vary from lot to lot.

2cm Porcelain Pavers

For more information scan code below.



Typical Uses

Relive^{HDP} glazed porcelain floor and wall tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Notes:

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.




















 $^{^{\}rm 2}$ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

³ For more information, visit floridatile.com/productuseclassifications.

⁴ Average production value.

²These values are based on actual sizes including the grout joint.

 $^{^{\}scriptscriptstyle 3}$ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.